SEQUENCE LISTING

<110>	Daly, John Michael
<120>	Constructs for Gene Expression Analysis
<130>	12177722
<140>	Unassigned
<141>	2003-09-09
/1417	2003-09-09
-150	Magn. Co./ORARGO
<150>	USSN 60/274770
<151>	2001-03-09
.150	DCM / DYYOO / 000 54
<150>	PCT/AU02/00351
<151>	2002-03-08
.d.co.	
<160>	57
	Detembra according 0.0
<170>	PatentIn version 3.2
.010	
<210>	1
<211>	9
<212>	RNA
<213>	mammalian
.4005	1
<400>	1
uuauuu	suu
<210>	2
<211>	9
<212>	RNA
<213>	mammalian
\213/	mammalian
<400>	2
uuauuu	
<210>	3
<211>	5
<212>	RNA
<213>	mammalian
<400>	3
auuua	. · · · · · · · · · · · · · · · · · · ·
	•
	•
<210>	4
<211>	4
<212>	RNA
<213>	mammalian
<400>	4
auuu	•
<210>	5
<211>	13
<212>	RNA
<213>	Artificial Sequence

<220> <223>	AUUUAx3 Version 1	
<400>	5	
auuuau	uuau uua	13
<210>		
<211>		
<212>	RNA Artificial Sequence	
	·	
<220>	NUMBER OF THE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OF THE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OF	
	AUUUAx3 Version 2	
<400>	6	
auuuaa	uuua auuua	15
<210>		
<211>		
<212> <213>		
12207	in criticial bequence	
<220>	*** 1~~~	
<223>	HindIII site	
<400>	7	
aagctt		6
<210>	8	
<211>		
<212>		
(213)	Artificial Sequence	
<220>		
<223>	Clontech's d1 mutant of MODC	
<400>	8	
aagctta	agec atggetteee geeggeggtg geggegeagg atgatggeae getgeeeatg	60
tettate	geee aggagagegg gatggaeegt caceetgeag eetgtgette tgetaggate	120
		120
aatgtgt	tag	129
<210>	9	
<211> <212>	56 PNA	
	RNA Artificial Sequence	
<220>	DWD -24-3-12-1 - 71-2	
<223>	RNA destabilising linker	
<400>	9	
uuauuua	auug gegguuauuu auueggeguu auuuauugeg eguuauuuau uaeuag	56
<210>	10	
<211> <212>	11 DNA	
	er a14 a	

```
<213> Artificial Sequence
<220>
<223> EclHK1 recognition sequence
<220>
<221> misc_feature
<222> (1)..(8)
<223> n = any nucleotide
<400> 10
gacnnnnngt c
                                                                        11
<210> 11
<211> 11
<212> DNA
<213> Artificial Sequence
<220>
<223> EclHK1 recognition sequence Example 1
<220>
<221> misc_feature
<222> (4)..(5)
<223> n = any nucleotide
<220>
<221> misc_feature
<222> (7)..(8)
<223> n = any nucleotide
<400> 11
gacnntnngt c
                                                                        11
<210> 12
<211> 11
<212> DNA
<213> Artificial Sequence
<220>
<223> EclHK1 recognition sequence Example 2
<220>
<221> misc_feature
<222> (4)..(5)
<223> n = any nucleotide
<220>
<221> misc_feature
<222>
       (7)..(8)
<223> n = any nucleotide
<400> 12
                                                                        11
gacnnanngt c
```

<210> 13

<211> <212> <213>	DNA	malian					
<400> ttattt						·	9
		·					
<210> <211>	14 75						
<212> <213>		malian					
<400> aaaacg		attgtgtttt	taatttattt	attaagatgg	attctcagat	atttatattt	60
ttattt					_		75
<210>	15						
<211> <212>							
<213>		malian					
<400>	15						
atgcat	gatc	aaatgcaacc	tcacaacctt	ggctgagtct	tgagactgaa	agatttagcc	60
ataatg	taaa	ctgcctcaaa	ttggactttg	ggcataaaag	aacttttta	tgcttaccat	120
ctttt	tttt	tctttaacag	atttgtattt	aagaattgtt	tttaaaaaat	tttaagattt	180
acacaa	tgtt	tctctgtaaa	tattgccatt	aaatgtaaat	aacttt		226
<210>	16						
<211> <212>	73 DNA						
<213>	mamn	nalian		•			
<400>	16						
gtatgt	ttaa	attattttta	tacactgccc	tttcttacct	ttctttacat	aattgaaata	60
ggtatc	ctga	cca					73
<210>	17						
<211> <212>	53 RNA						
<212>		nalian					
<400>	17						
aguaaua	auuu	auauauuuau	auuuuuaaaa	uauuuauuua	uuuauuuauu	uaa	53
<210>	18						
<211>	53						
<212> <213>	DNA mamm	alian					
<400>	18						
		atatatttat	atttttaaaa	tatttattta	tttatttatt	taa	53

<210>	19		•				
<211>	73						
<212>	DNA						
<213>	mamr	nalian				•	
<400>	19						
aacytt	llat	tgtgtttta	atttatttat	taagatggat	tctcagatat	ttatatttt	60
atttta	tttt	ttt					73
<210>	20						
<211>	70						
<212>							
<213>		nalian					
1210/	mann	allan					
.400.	2.0						
<400>							
ttttat	tgtg	tttttaattt	atttattaag	atggattctc	agatatttat	atttttattt	60
tatttt	tttt						70
<210>	21						
<211>	89						
<211>							
		- ·					
<213>	mamm	allan					
<400>	21						
uuucgu	uaac	uguguaugua	cauauauaua	uuuuuaauu	ugauuaaagc	ugauuacugu	60
					-	<u> </u>	
gaauaa	acag	cuucaugccu	uuguaaguu				89
		_	•				•
<210>	22						
<211>							
<212>							
		- 7 '					
<213>	mamm	alian					
<400>							
tttcgt	taac	tgtgtatgta	catatatata	ttttttaatt	tgattaaagc	tgattactgt	60
					5	J J	
gaataa	acag	cttcatgcct	ttqtaaqtt				89
_	_	J					0,5
<210>	23						
<211>	6						
<211>							
	RNA						
<213>	mamm	alian					
<400>	23						
aauaaa							6
<210>	24	•					
<211>	89						
<212>	RNA	e: =					
<213>	Arti:	ficial Sequ	ence				
<220>							
<223>	Muta	nt of Peng	c-jun ARE				
		_	-				

<400>	24						
	24	11011011011011011					
uuucgu	uaac	uguguaugua	Cauauauaua	uuuuuuaauu	ugauuaaago	ugauuacugu	60
adance	2020	Cillianiacan	11116711000000				
ggauce	acay	cuucaugccu	uuguaaguu				89
<210>	25						
<211>							
	89						
<212>							
<213>	Art	ificial Seq	uence				
<220>							
<223>	DNA	encoding m	utant of Pe	ng c-jun AR	E		
<400>	25						
tttcgti	taac	tgtgtatgta	catatatata	ttttttaatt	tgattaaago	tgattactgt	60
						J J	
ggatcca	acag	cttcatgcct	ttgtaagtt	•			89
			_				•
<210>	26						
<211>	36						
<212>	RNA						
<213>	mamn	nalian					
<400>	26						
ucuauuu	ıauu	aauauuuaac	auuauuuaua	ມລຸກດດດ			26
				aaaggg			36
<210>	27						
<211>							
<212>		•					
<213>		nalian					
12137	mann	larran					
<400>	27						
		aatatttaac	attatttata	+ - + ·			
cocaccc	acc	aacacccaac	accacciaca	Latggg			36
<210>	28						
	124						
	RNA						
-		nalian					
\213 >	mann	lallan					
<400>	28						
cucuauu	uau	uuaaauauuu	aacuuuaauu	uauuuugga	uguauuguuu	acuaacuuuu	60
20100111	~~~						
agugcuu	.000	acuuaaaaca	uaucaggcuu	cuauuuauuu	aaauauuuaa	auuuuauauu	120
uauu							
uauu							124
<210>	20		-				
	29						
	124						
	DNA	-14					
<213>	mamm	alian					
-400:	20						
	29						
cctatt	tat	ttaaatattt	aactttaatt	tatttttgga	tgtattgttt	actaactttt	60
agtgett	ccc ·	acttaaaaca	tatcaggctt	ctatttattt	aaatatttaa	attttatatt	120
tatt							124

<210>	30						
<211>	46						
<212>	RNA						
<213>	mamn	nalian					
						•	
<400>	30						
auaaaco	ccua	auuuuuuua	uuuaaguaca	uuuugcuuuu	aaaguu		46
<210>	31						
<211>	46						
<212>							
<213>		nalian				•	
1227							
<400>	31						
ataaaco		attttttta	tttaaqtaca	ttttgctttt	aaaqtt		46
			· . · · · · · · · · · · · · · · · · · ·		J		
<210>	32						
<211>	119						
<212>	RNA						
<213>	mamn	nalian					
<400>	32						
uagaaua	auuu	auuaccucug	auaccucaac	ccccauuucu	auuuauuuac	ugagcuucuc	60
ugugaad	gau	uuagaaagaa	gcccaauauu	auaauuuuuu	ucaauauuua	uuauuuuca	119
<210>	33						
<211>	_						
<212>							
<213>	mamn	nalian					
<400>	33						
tagaata	ittt	attacctctg	atacctcaac	ccccatttct	atttatttac	tgagcttctc	60
tatass	.~~+	++	~~~~~			****	110
cycyaac	gat	ccayaaayaa	geceaatatt	ataattttt	tcaatattta	ttattttca	119
<210>	34						
<211>	105						
<212>							
<213>		nalian					
12137	manu	allun					
<400>	34						
		acugecaaag	ggaaauauca	uuuauuuuu	acauuauuaa	gaaaaaagan	60
J			99			Januaran	
uuauuua	เนนน	aagacagucc	caucaaaacu	ccgucuuugg	aaauc		105
<210>	35						
<211>	105						
<212>	DNA						
<213>	mamn	nalian					
		•					
<400>	35						
tcagcta	ittt	actgccaaag	ggaaatatca	tttattttt	acattattaa	gaaaaaagat	60
LLATTE	וכככ	aagacagtee	catcaaaact	ccgtctttgg	aaatc		105
				-7-			

<210><211><212><213>						
<400> auuauu	36 Jauu auuuauuuau	uauuuauuua	uuua	•		34
<210><211><211><212><213>		L				
<400> attatt	37 catt atttatttat	tatttattta	ttta		·	34
<210><211><211><212>	RNA			·		
<400>	mammalian 38 auuc cauuaaggcu	auuuauuuau	guauuuaugu	auuuauuuau	uuauu	55
<210><211><212>	DNA					
<213> <400> tatttta	mammalian 39 attc cattaaggct	atttatttat	gtatttatgt	atttatttat	ttatt	55
<210><211><211><212>						
<213> <400> ttattta	40					9
<210><211><211>	41 5 DNA					
<213> <400> attta	mammalian 41					5
<210><211><211><212>	42 4 DNA					
<213> <400>	mammalian 42					

```
attt
                                                                      4
<210> 43
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Consensus DST sequence
<220>
<221> misc_feature
<222> (5)..(5)
<223> n = from 2-9 nucleotides, wherein each individual nucleotide can
      be any nucleotide
<220>
<221> misc_feature
<222> (15)..(15)
<223> n = from 3-8 nucleotides, wherein each individual nucleotide can
      be any nucleotide
<400> 43
                                                                     25
ggagncatag attanmwwtt tgtay
<210> 44
<211> 25
<212> DNA
<213> Soybean
<220>
<221> misc feature
<222> (5)..(5)
<223> n = 5 nucleotides , wherein each individual nucleotide can be any
      nucleotide
<220>
<221> misc_feature
<222> (15)..(15)
<223> n =8 nucleotides , wherein each individual nucleotide can be any
      nucleotide
<400> 44
                                                                     25
ggagncatag attanaaatt tgtac
<210> 45
<211> 25
<212> DNA
<213> Arabidopsis
<220>
<221> misc feature
<222> (5)..(5)
<223> n = 9 nucleotides , wherein each individual nucleotide can be any
      nucleotide
```

<222>	(15)			,				
<223>		8 nucleotid leotide	les , ,where	in each ind:	ividual nuc	leotide c	an be	any
<400>	45							
ggaanc	atag	atcgncaatg	cgtat					25
•								
	46							
<211>								
<212> <213>		nalian						
(213)	шаш	narran						
<400>	46							
guucuu	gcuu	caacaguguu	ugaacggaac					30
<210>	47							
<211>	30							
<212>								
<213>	mamn	malian						•
<400>	47							
gttctt	gctt	caacagtgtt	tgaacggaac					30
<210>	48							
<211>								
<212>	RNA							
<213>	mamn	nalian						
<400>	48							
		agcagugucu	uccauaauc					29
<210>	49							
	29							
<212>	DNA							
<213>	mamn	nalian						
<400>	49							
	cggg	agcagtgtct	tccataatc					29
<210>	50							
<211>	226							
<212>	DNA							
<213>	mamn	nalian		,				
<400>	50							
		aaatgcaacc	tcacaacctt	ggctgagtct	tgagactgaa	agatttag	icc	60
ataatg	taaa	ctgcctcaaa	ttggactttg	ggcataaaag	aacttttta	tgcttacc	at	120
cttttt	tttt	tctttaacag	atttgtattt	aagaattgtt	tttaaaaaat	tttaagat	tt	180
							-	
acacaa	tatt	tctctgtaaa	tattqccatt	aaatgtaaat	aacttt			226

```
<211> 30
<212> RNA
<213> mammalian
<220>
<221> misc_feature
<222> (4)..(4)
<223> n = from 20-40 nucleotides, wherein individual nucleotides are
       selected from any nucleotide
<220>
<221> misc_feature
      (19)..(19)
<222>
<223> n is a, c, g, or u
<400> 51
uganccaaag gyyyuuyuna rrrccaccca
                                                                      30
<210> 52
<211> 30
<212> DNA
<213> mammalian
<220>
<221> misc_feature
<222> (4)..(4)
<223> n = from 20-40 nucleotides, wherein individual nucleotides are
       selected from any nucleotide
<220>
<221> misc_feature
<222>
      (19)..(19)
<223> n is a, c, g, or t
<400> 52
tganccaaag gyyyttytna rrrccaccca
                                                                      30
<210> 53
<211>
      16
<212> RNA
<213> mammalian
<220>
<221> misc_feature
<222>
      (5)..(5)
<223> n = any number of nucleotides, wherein individual nucleotides are
      selected from any nucleotide
<220>
<221> misc_feature
<222>
      (11)..(11)
<223> n = any number of nucleotides, wherein individual nucleotides are
      selected from pyrimidines
<400> 53
yccancccwy yucycc
                                                                     16
```

<	<pre><210> <211> <212> <213></pre>	46				
	400> cctcct	54 gece getgggeete	ccaacgggcc	ctcctcccct	ccttgc	46
<	<210><211><211><212><213>	5				
	<400>	55				5
<	<210><211><211><212><213>	9				
	<400>					9
<	<210> <rr>211></rr> <212><213>	14				
	<400>	57				14